



<b>EAN:</b>	4013288014801	<b>Size:</b>	25x7x7 mm
<b>Part number:</b>	05056810001	<b>Weight:</b>	4 g
<b>Article number:</b>	855/1 TZ PZ	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Suitable for Pozidriv screws
- Torsion zone for absorption of peak loads
- Enhanced service life of the bits
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)

Bits for Pozidriv\* screws with Torsion zone to combat premature wear. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

\* Pozidriv = registered trademark of European Industrial Service Ltd.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_pozidriv\\_screws\\_855\\_1\\_tz\\_pz.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_pozidriv_screws_855_1_tz_pz.html)

Wera - 855/1 TZ PZ  
05056810001 - 4013288014801

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## TZ-Bits

## Tough bits



TZ-Bits are tough bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

## Further versions in this product family:



		mm	inch
05056810001	PZ 1	25	1"
05056815001	PZ 2	25	1"
05056825001	PZ 3	25	1"

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_pozidriv\\_screws\\_855\\_1\\_tz\\_pz.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_pozidriv_screws_855_1_tz_pz.html)

Wera - 855/1 TZ PZ  
 05056810001 - 4013288014801

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de